

Setup and Specifications Manual

Ready Stage



From Staging Canadell to You

We would like to sincerely **Thank You** for choosing Staging Canadell. You can have comfort knowing that you have purchased the strongest lightweight stage available that will give you years and years of service.

This Owners Manual has been designed to help you get the most out of your Staging Canadell products. Please take time to read the instructions pertaining to your Staging Canadell product to ensure safe and proper use of your portable stage or riser.

We have made set up and use quick and easy and made every effort to ensure that you will have years and years of trouble free service. If for some reason you do require repair or simply have a question on the use of your Staging Canadell product we encourage you to **call our service department at 1-866-748-5335**.

Staging Canadell manufactures a full line of portable stage and choral riser equipment. For information on other Staging Canadell products please give us a call or send us an email.

Staging Canadell Ltd.
Box 730, 311 Main Street
Humboldt, Sk.
S0K 2A0

1-866-748-5335
1-306-682-5338 (fax)

www.stagingcanadell.com
sales@stagingcanadell.com

Contents

Ready Stage.....	1-2
Maintenance.....	3
Warranty.....	4

Ready Stage

Product Description

The Ready Stage is an all in one portable stage and storage system. This well engineered product allows one person to transport, setup and take down in a matter of minutes.

The cart, stage and leg storage system are all built into one unit allowing you to easily store and transport this stage to where you need it. A safe and simple to use foot pedal lock allows one person to quickly set the stage in place.

The Ready Stage is based on the Executive platform. It adapts quickly and easily to be a stand alone platform or as a part of a large stage. As a part of the Executive Stage family the Ready Stage also allows you to provide wheelchair access to your stage, safety railing, stairs and step ups, skirting and back drops, front drapery systems and other accessories to meet your requirements. Executive platforms carry the highest load rating in the industry at 250 lbs/sqft.

Specifications

Dimensions	<i>Standard</i> 4 x 8, 6 x 8 <i>Custom</i> sizes available Profile 3 5/8" Approximately 166/250 lbs per section (RDY48/RDY68) Load Tested to 250 lbs/sqft
Materials	<i>Deck</i> 3/4" Fir G2S plywood surfaced with: Skidguard - a high density textured skid/scuff resistant black Phenolic overlay; or Carpet - commercial grade carpet (standard Grey, optional colors available) <i>Side Rail</i> 3 5/8" deep anodized 6063 T5 extruded aluminum side rail <i>Leg</i> 2" x 2" 6063 T5 extruded aluminum leg with non marking flat caps <i>Leg Holder</i> Cast aluminum leg clamps with formed cam lock handle <i>Executive Stage Quick Release Pin</i> Stages are locked together using a formed/powdercoated steel clamp

Set Up Instructions

1. In the upright folded position insert all legs into leg holders and lock in place.
2. Position yourself in the middle of the stage and release the foot pedal allowing you to lay down the folded stage
3. Unlock the secure cord and unfold the stage

Specifications for a Ready Stage (4' x 8', 6' x 8', custom)

Specifications:

Actual Size: RDY48 - 4' 1/4" x 8' 1/2"
(122.5cm x 245.1cm)
RDY68 - 6' 1/4" x 8' 1/2"
(183.5cm x 245.1cm)

Material:

- Option 1: 3/4" (19mm) G2S Plywood, cover with carpet
- Option 2: 3/4" (19mm) Black Phenolic Overlay: High density textured skid/scuff resistant top, and a smooth overlay back that will not blister or peel


Approx. Weight:

RDY48: 170 lbs (77kg)
RDY68: 250 lbs (113kg)

Load Tested: 250lbs/sq.ft. live load

Components:

- 3 5/8" anodized aluminum edging for protecting stage edge, adding strength while remaining lightweight
- Legs are constructed of 2" square anodized aluminum with non marking plastic leg caps.
- Cast Aluminum Leg Clamps provide a lightweight yet robust clamping mechanism
- Platforms can be joined to other platforms with a simple to use Executive Quick Release Pin



	A	B	C
RDY48	48 1/4" (122.5 CM)	48 1/4" (122.5 CM)	22 1/2" (57.2 CM)
RDY68	72 1/4" (183.5 CM)	48 1/4" (122.5 CM)	22 1/2" (57.2 CM)



Ready Stage RDY48 & RDY68 Specifications

DATE	REV	DRAWN BY	SCALE	PAGE
030909		egv		1
DATE	REV	DRAWN BY		



Maintaining Your Staging Canadell Products

Frequency of product inspection required will depend on amount of use and if the products are left assembled or if they are set up and taken down regularly. It is recommended to develop your own inspection schedule based on your usage.

Preventative maintenance:

- Install all Staging Canadell products according to the manufacturer's installation instructions provided with your order
- Ensure that locking procedures are followed according to instructions
- Store Staging Canadell products where they will not be damaged. Stage carts are recommended for storage.

Scheduled maintenance:

- Periodically check all parts for wear
- Check for loose hardware
- Check locking devices to ensure that they are secure

Replacement parts:

- Contact Staging Canadell Customer Service at 1-866-748-5335 for all replacement parts and warranty claims



STAGING CANADELL LTD.WARRANTY POLICY

All Staging Canadell products and components are guaranteed for Ten (10) years from the date of purchase against product failure due to defective materials or workmanship.

Upon approval of a warranty claim, the customer is entitled to either a full refund, repair or replacement of the defective product without charge. Staging Canadell may request to see the defective product, the shipping cost of which will be the responsibility of the customer. Costs related to shipping replacement product to the customer will be the responsibility of Staging Canadell.

Warranty will not be offered for any damages due to abuse, negligence, vandalism, unauthorized alteration or attachments or improper storage.